
MSDS - Material Safety Data Sheet

Product Name: KE KEENEY TFE 1/2 FLOZ BULK PK

MSDS No.: 023001



INHALATION, SKIN (NON-TOXIC), AND INGESTION (NON-TOXIC)

Health Hazards (Acute and Chronic):

INHALATION: DO NOT INHALE!

Signs and Symptoms:

INHALATION: POSSIBLE DIZZINESS AND LIGHT HEADEDNESS EYES: RED AND WATERING

Medical Conditions Generally Aggravated by Exposure:

INHALATION: MAY CAUSE HEADACHE EYES: MAY CAUSE IRRITATION

Emergency and First Aid Procedures:

EMERGENCY FIRST AID CALL: 1-303-623-5716 COLLECT

FOR INHALATION REMOVE TO FRESH AIR, SEEK MEDICAL ATTENTION IF CONDITION PERSISTS; FOR EYES, FLUSH WITH WATER AND CONSULT A PHYSICIAN IF IRRITATION IS NOT RELIEVED.

Other Health Warnings:

NI

²age: 2 of 3

Date Printed:

7/16/02

MSDS - Material Safety Data Sheet

Product Name: KE KEENEY TFE 1/2 FLOZ BULK PK

MSDS No.: 023001

Flash Point: 70 F DEG T

Free High this contains

Lower Explosive Limit:

NI

Upper Explosive Limit:

Fire Extinguishing Media:

CARBON DIOXIDE, DRY CHEMICAL OR WATER SPRAY

Special Fire Fighting Procedures:

RECOMMEND SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING

Unusual Fire and Explosion:

NI

Steps to be Taken in Case Material is Released or Spilled:

SCOOP UP MATERIAL AND PLACE IN TRASH CONTAINER. CONTAIN SPILL WITH SAND, DIRT, OR SAWDUST

Precautions to be Taken:

STORE AWAY FROM HEAT, KEEP CONTAINER CLOSED AFTER USE.

Other Precautions:

KEEP OUT OF REACH OF CHILDREN AND PETS

Ventilitation Requirements:

PROVIDE ADEQUATE VENTILATION

Personal Protective Equipment:

USE PROTECTIVE GOGGLES IF WORKING OVERHEAD, OTHER PROTECTIVE CLOTHING OR EQUIPMENT NOT REQUIRED.

USE NORMAL GOOD SAFETY AND HYGIENIC PRACTICES; LAUNDER ANY SOILED CLOTHING BEFORE RE-USE.

EXPRISONATIONAL Champens Propagaes of the second

Boiling Point: 173 F D

Melting Point:

NI

Evaporation Rate:

NI

Vapor Pressure (mm Hg.):

Ni

Vapor Density (AIR = 1):

Solubility In Water:

SLIGHT

Apprearance and Odor:

WHITE PASTE WITH SLIGHT ODOR

Other Information:

X. Stability and Reactivity:

Stability:

STABLE

Incompatibility (Materials to Avoid):

LIQUID OXYGEN, LIQUID SODIUM; GASEOUS FLUORINE

MSDS - Material Safety Data Sheet

Product Name: KE KEENEY TFE 1/2 FLOZ BULK PK

MSDS No.: 023001

Decomposition/By Products:

NI

Hazardous Polymerization:

WILL NOT OCCUR

NDA

NDA

DISPOSE OF WASTE MATERIAL ACCORDING TO APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS

TRANSPORATION INFORMATION:

DOT PROPER SHIPPING NAME: PIPE FITTING CEMENT

DOT LABEL: NON-FLAMMABLE

DOT NUMBER: N/A UN NUMBER: N/A IMCO CLASS: N/A

DOT HAZARD CLASSIFICATION: N/A

NDA

ABBREVIATIONS:

N/A = NOT APPLICABLE N/I = NONE INDICATED NDA = NO DATA AVAILABLE N/E = NOT ESTABLISHED C = CELSIUS DEGREES F = FAHRENHEIT DEGREES

DISCLAIMER:

THE INFORMATION HEREIN HAS BEEN COMPILED FROM SOURCES BELEIVED TO BE RELIABLE, UP-TO-DATE, AND IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOWEVER, WILLIAM H. HARVEY COMPANY CANNOT GIVE ANY GUARANTEES REGARDING INFORMATION FROM OTHER SOURCES, AND EXPRESSLY DOES NOT MAKE WARRANTIES, NOR ASSUMES ANY LIABILITY FOR ITS USES.